




12 CIRCUIT RECEPTACLE
POLARIZATION OPTION A
USCAR COMPATIBLE




12 CIRCUIT RECEPTACLE
POLARIZATION OPTION B
USCAR COMPATIBLE




12 CIRCUIT RECEPTACLE
POLARIZATION OPTION C
USCAR COMPATIBLE




16 CIRCUIT RECEPTACLE
POLARIZATION OPTION A
USCAR COMPATIBLE




16 CIRCUIT RECEPTACLE
POLARIZATION OPTION B
USCAR COMPATIBLE




16 CIRCUIT RECEPTACLE
POLARIZATION OPTION C
USCAR COMPATIBLE




20 CIRCUIT RECEPTACLE
POLARIZATION OPTION A
USCAR COMPATIBLE




20 CIRCUIT RECEPTACLE
POLARIZATION OPTION B
USCAR COMPATIBLE




20 CIRCUIT RECEPTACLE
POLARIZATION OPTION C
USCAR COMPATIBLE




24 CIRCUIT RECEPTACLE
POLARIZATION OPTION A
USCAR COMPATIBLE




24 CIRCUIT RECEPTACLE
POLARIZATION OPTION B
USCAR COMPATIBLE



24 CIRCUIT RECEPTACLE
POLARIZATION OPTION C
USCAR COMPATIBLE





NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:
   a. APPLICATION SPECIFICATION SEE: 2065230000-AS
   b. PRODUCT SPECIFICATION SEE: 2065230000-PS
   c. PACKAGING SPECIFICATION PER MOLEX DRAWING: PK-31301-538
   d. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: QEHS-699000-301
   e. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID#13255)
   f. FLAMMABILITY REQUIREMENT
      1. UL 94 HB (SERIES NUMBER 206523)
      2. UL 94 V0 (SERIES NUMBER 207584)

2. DESIGN -
   2.1 RECEPTACLE HOUSING:
      a. MATERIAL: PBT-GF7.5%
      b. COLOR: SEE PART TABLE
   2.2 CPA:
      a. MATERIAL: PA6-GF60%
      b. COLOR: RED


3. DESIGN - GEOMETRY:
   a. THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL
   b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 2009
   c. EDGES AND UNDIMENSIONED DETAILS PER ISO13175
   d. CORNERS SHOWN AS SHARP TO BE R 0.2 MAX
   e. LETTERING SHALL BE 0.1 MAX RAISED IN 0.15 MAX RECESS PAD AND NOT PROTRUDE THE SURFACE. THIS INCLUDES RECYCLING CODE, PLANT AND CAVITY ID, VENDOR ID, CIRCUIT ID, AND SERIES NUMBER

HINGES OPEN
12 CIRCUIT RECEPTACLE SHOWN
(AS SHIPPED)





POLARIZATION FEATURE LOCATIONS


HINGES CLOSED
12 CIRCUIT RECEPTACLE SHOWN
(AS ASSEMBLED)




NON-CPA VERSION



CPA VERSION




| REV | DESCRIPTION |
|---|---|
| A7 | PAGE 2: UPDATED CTX50 UNSEALED RCPT TERMINAL PART NUMBER AND STATUS |
| A6 | PAGE 2: UPDATED CTX50 SMALL GRIP PNs ON BOM |
| A5 | PAGE 1: ADDED V0 AND HB IDENTIFIER VIEW |
| A4 | PAGE 2: UPDATED 12 & 16CKT V0 WITH & WITHOUT CPA TO AVAILABLE |
| A3 | PAGE 1: ADDED NOTES 2.1 & 2.2<br>PAGE 2: UPDATED HB PART AVAILABILITY IN THE TABLE |
| A2 | UPDATED RESTRICTION FROM INTERNAL TO GENERAL MARKET<br>PAGE 3: ADDED VERTICAL PITCH REFERENCE DIMS ON CAVITIES |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
FA = 0
FC = 0
FD = 0

DIVISIONAL SYMBOLS

| DIMENSION UNITS | SCALE |
|---|---|
| MM | NTS |

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | |
|---|---|
| ANGULAR TOL | ± 0.5° |
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± |
| 1 PLACE | ± |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: Updated CTX50 Terminal PN Status.

STATUS: Production
DRWN: Yann Chen 2023-11-16
CHK'D: Gang Li 2023-12-18
APPR: Colin Zhang 2023-12-19

molex

MINI50 GEN II RECEPTACLE SALES DRAWING

PRODUCT SALES DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| 2065230000 | PSD | 000 | A7 |

| THIRD ANGLE PROJECTION | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|---|---|---|
| | A1-SIZE | 206523 | SEE CHART | GENERAL MARKET | 1 OF 3 |

FORMAT TEMPLATE A7
REVISION: B
DATE: 2022/08/01

MINI50 GEN II RECEPTACLE

| MATERIAL NUMBER | ASSEMBLY STATUS | FLAMMABILITY UL94 | CONFIGURATION | CIRCUIT | POL | COLOR | NOTE | MATING COMPONENT | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | SURFACE MOUNT TECHNOLOGY (SMT) HEADER | | VERTICAL THRU HOLE HEADER | | RIGHT ANGLE THRU HOLE HEADER | |
| | | | | | | | | TAPE AND REEL PACKAGING PK-31301-786 | TUBE PACKAGING PK-31301-688 | TRAY PACKAGING PK-31301-440 | TUBE PACKAGING PK-31301-688 | TRAY PACKAGING PK-31301-440 | TUBE PACKAGING PK-31301-688 |
| 2065230121 | HOUSING ONLY | HB | USCAR COMPATIBLE | 12 | A | BLACK | AVAILABLE | 34897-8120 | 34897-9120 | 34825-0124 | 34825-9124 | 34826-0124 | 34826-9124 |
| 2065230122 | HOUSING ONLY | HB | USCAR COMPATIBLE | 12 | B | GRAY | AVAILABLE | 34897-8121 | 34897-9121 | 34825-0125 | 34825-9125 | 34826-0125 | 34826-9125 |
| 2065230123 | HOUSING ONLY | HB | USCAR COMPATIBLE | 12 | C | DARK GRAY | AVAILABLE | 34897-8122 | 34897-9122 | 34825-0126 | 34825-9126 | 34826-0126 | 34826-9126 |
| 2065230161 | HOUSING ONLY | HB | USCAR COMPATIBLE | 16 | A | BLACK | AVAILABLE | 34897-8160 | 34897-9160 | 34825-0160 | 34825-9160 | 34826-0160 | 34826-9160 |
| 2065230162 | HOUSING ONLY | HB | USCAR COMPATIBLE | 16 | B | GRAY | AVAILABLE | 34897-8161 | 34897-9161 | 34825-0161 | 34825-9161 | 34826-0161 | 34826-9161 |
| 2065230163 | HOUSING ONLY | HB | USCAR COMPATIBLE | 16 | C | DARK GRAY | AVAILABLE | 34897-8162 | 34897-9162 | 34825-0162 | 34825-9162 | 34826-0162 | 34826-9162 |
| 2065230201 | HOUSING ONLY | HB | USCAR COMPATIBLE | 20 | A | BLACK | AVAILABLE | 34897-8200 | 34897-9200 | 34825-0200 | 34825-9200 | 34826-0200 | 34826-9200 |
| 2065230202 | HOUSING ONLY | HB | USCAR COMPATIBLE | 20 | B | GRAY | AVAILABLE | 34897-8201 | 34897-9201 | 34825-0201 | 34825-9201 | 34826-0201 | 34826-9201 |
| 2065230203 | HOUSING ONLY | HB | USCAR COMPATIBLE | 20 | C | DARK GRAY | AVAILABLE | 34897-8202 | 34897-9202 | 34825-0202 | 34825-9202 | 34826-0202 | 34826-9202 |
| 2065230241 | HOUSING ONLY | HB | USCAR COMPATIBLE | 24 | A | BLACK | AVAILABLE | 34897-8240 | 34897-9240 | 34825-0240 | 34825-9240 | 34826-0240 | 34826-9240 |
| 2065230242 | HOUSING ONLY | HB | USCAR COMPATIBLE | 24 | B | GRAY | AVAILABLE | 34897-8241 | 34897-9241 | 34825-0241 | 34825-9241 | 34826-0241 | 34826-9241 |
| 2065230243 | HOUSING ONLY | HB | USCAR COMPATIBLE | 24 | C | DARK GRAY | AVAILABLE | 34897-8242 | 34897-9242 | 34825-0242 | 34825-9242 | 34826-0242 | 34826-9242 |
| 2065232121 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 12 | A | BLACK | AVAILABLE | 34897-8120 | 34897-9120 | 34825-0124 | 34825-9124 | 34826-0124 | 34826-9124 |
| 2065232122 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 12 | B | GRAY | AVAILABLE | 34897-8121 | 34897-9121 | 34825-0125 | 34825-9125 | 34826-0125 | 34826-9125 |
| 2065232123 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 12 | C | DARK GRAY | AVAILABLE | 34897-8122 | 34897-9122 | 34825-0126 | 34825-9126 | 34826-0126 | 34826-9126 |
| 2065232161 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 16 | A | BLACK | AVAILABLE | 34897-8160 | 34897-9160 | 34825-0160 | 34825-9160 | 34826-0160 | 34826-9160 |
| 2065232162 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 16 | B | GRAY | AVAILABLE | 34897-8161 | 34897-9161 | 34825-0161 | 34825-9161 | 34826-0161 | 34826-9161 |
| 2065232163 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 16 | C | DARK GRAY | AVAILABLE | 34897-8162 | 34897-9162 | 34825-0162 | 34825-9162 | 34826-0162 | 34826-9162 |
| 2065232201 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 20 | A | BLACK | AVAILABLE | 34897-8200 | 34897-9200 | 34825-0200 | 34825-9200 | 34826-0200 | 34826-9200 |
| 2065232202 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 20 | B | GRAY | AVAILABLE | 34897-8201 | 34897-9201 | 34825-0201 | 34825-9201 | 34826-0201 | 34826-9201 |
| 2065232203 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 20 | C | DARK GRAY | AVAILABLE | 34897-8202 | 34897-9202 | 34825-0202 | 34825-9202 | 34826-0202 | 34826-9202 |
| 2065232241 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 24 | A | BLACK | AVAILABLE | 34897-8240 | 34897-9240 | 34825-0240 | 34825-9240 | 34826-0240 | 34826-9240 |
| 2065232242 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 24 | B | GRAY | AVAILABLE | 34897-8241 | 34897-9241 | 34825-0241 | 34825-9241 | 34826-0241 | 34826-9241 |
| 2065232243 | ASSEMBLED WITH CPA | HB | USCAR COMPATIBLE | 24 | C | DARK GRAY | AVAILABLE | 34897-8242 | 34897-9242 | 34825-0242 | 34825-9242 | 34826-0242 | 34826-9242 |
| 2075840121 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 12 | A | BLACK | AVAILABLE | 34897-8120 | 34897-9120 | 34825-0124 | 34825-9124 | 34826-0124 | 34826-9124 |
| 2075840122 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 12 | B | GRAY | AVAILABLE | 34897-8121 | 34897-9121 | 34825-0125 | 34825-9125 | 34826-0125 | 34826-9125 |
| 2075840123 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 12 | C | DARK GRAY | AVAILABLE | 34897-8122 | 34897-9122 | 34825-0126 | 34825-9126 | 34826-0126 | 34826-9126 |
| 2075840161 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 16 | A | BLACK | AVAILABLE | 34897-8160 | 34897-9160 | 34825-0160 | 34825-9160 | 34826-0160 | 34826-9160 |
| 2075840162 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 16 | B | GRAY | AVAILABLE | 34897-8161 | 34897-9161 | 34825-0161 | 34825-9161 | 34826-0161 | 34826-9161 |
| 2075840163 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 16 | C | DARK GRAY | AVAILABLE | 34897-8162 | 34897-9162 | 34825-0162 | 34825-9162 | 34826-0162 | 34826-9162 |
| 2075840201 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 20 | A | BLACK | NOT YET AVAILABLE | 34897-8200 | 34897-9200 | 34825-0200 | 34825-9200 | 34826-0200 | 34826-9200 |
| 2075840202 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 20 | B | GRAY | NOT YET AVAILABLE | 34897-8201 | 34897-9201 | 34825-0201 | 34825-9201 | 34826-0201 | 34826-9201 |
| 2075840203 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 20 | C | DARK GRAY | NOT YET AVAILABLE | 34897-8202 | 34897-9202 | 34825-0202 | 34825-9202 | 34826-0202 | 34826-9202 |
| 2075840241 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 24 | A | BLACK | NOT YET AVAILABLE | 34897-8240 | 34897-9240 | 34825-0240 | 34825-9240 | 34826-0240 | 34826-9240 |
| 2075840242 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 24 | B | GRAY | NOT YET AVAILABLE | 34897-8241 | 34897-9241 | 34825-0241 | 34825-9241 | 34826-0241 | 34826-9241 |
| 2075840243 | HOUSING ONLY | V0 | USCAR COMPATIBLE | 24 | C | DARK GRAY | NOT YET AVAILABLE | 34897-8242 | 34897-9242 | 34825-0242 | 34825-9242 | 34826-0242 | 34826-9242 |
| 2075842121 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 12 | A | BLACK | AVAILABLE | 34897-8120 | 34897-9120 | 34825-0124 | 34825-9124 | 34826-0124 | 34826-9124 |
| 2075842122 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 12 | B | GRAY | AVAILABLE | 34897-8121 | 34897-9121 | 34825-0125 | 34825-9125 | 34826-0125 | 34826-9125 |
| 2075842123 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 12 | C | DARK GRAY | AVAILABLE | 34897-8122 | 34897-9122 | 34825-0126 | 34825-9126 | 34826-0126 | 34826-9126 |
| 2075842161 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 16 | A | BLACK | AVAILABLE | 34897-8160 | 34897-9160 | 34825-0160 | 34825-9160 | 34826-0160 | 34826-9160 |
| 2075842162 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 16 | B | GRAY | AVAILABLE | 34897-8161 | 34897-9161 | 34825-0161 | 34825-9161 | 34826-0161 | 34826-9161 |
| 2075842163 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 16 | C | DARK GRAY | AVAILABLE | 34897-8162 | 34897-9162 | 34825-0162 | 34825-9162 | 34826-0162 | 34826-9162 |
| 2075842201 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 20 | A | BLACK | NOT YET AVAILABLE | 34897-8200 | 34897-9200 | 34825-0200 | 34825-9200 | 34826-0200 | 34826-9200 |
| 2075842202 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 20 | B | GRAY | NOT YET AVAILABLE | 34897-8201 | 34897-9201 | 34825-0201 | 34825-9201 | 34826-0201 | 34826-9201 |
| 2075842203 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 20 | C | DARK GRAY | NOT YET AVAILABLE | 34897-8202 | 34897-9202 | 34825-0202 | 34825-9202 | 34826-0202 | 34826-9202 |
| 2075842241 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 24 | A | BLACK | NOT YET AVAILABLE | 34897-8240 | 34897-9240 | 34825-0240 | 34825-9240 | 34826-0240 | 34826-9240 |
| 2075842242 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 24 | B | GRAY | NOT YET AVAILABLE | 34897-8241 | 34897-9241 | 34825-0241 | 34825-9241 | 34826-0241 | 34826-9241 |
| 2075842243 | ASSEMBLED WITH CPA | V0 | USCAR COMPATIBLE | 24 | C | DARK GRAY | NOT YET AVAILABLE | 34897-8242 | 34897-9242 | 34825-0242 | 34825-9242 | 34826-0242 | 34826-9242 |

CTX50 UNSEALED RECEPTACLE TERMINAL

A7

| PART NUMBER | | MATERIAL | WIRE GAGE (mm²) | GRIP | STATUS |
|---|---|---|---|---|---|
| D-WIND (LEFT PAYOFF) | B-WIND (RIGHT PAYOFF) | | | | |
| 5600230448 | 5600230450 | COPPER ALLOY | 0.35 | LARGE | OBSOLESCENCE IN 2024 |
| 5600230421 | 5600230423 | COPPER ALLOY | 0.22 | MEDIUM | OBSOLESCENCE IN 2024 |
| 5600230444 | 5600230445 | COPPER ALLOY | 0.13 | SMALL | OBSOLESCENCE IN 2024 |
| 5600230748 | 5600230750 | COPPER ALLOY | 0.35 | LARGE | SALEABLE |
| 5600230721 | 5600230723 | COPPER ALLOY | 0.22 | MEDIUM | SALEABLE |
| 5600230744 | 5600230745 | COPPER ALLOY | 0.13 | SMALL | SALEABLE |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS: FA = 0; FF = 0; FP = 0

DIVISIONAL SYMBOLS

DIMENSION UNITS: MM | SCALE: NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | |
|---|---|
| ANGULAR TOL | ± 0.5° |
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± |
| 1 PLACE | ± |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: Updated CTX50 Terminal PN Status.

STATUS: Production

DRWN: Yann Chen 2023-11-16

CHK'D: Gang Li 2023-12-18

APPR: Colin Zhang 2023-12-19

THIRD ANGLE PROJECTION

molex


MINI50 GEN II RECEPTACLE SALES DRAWING

PRODUCT SALES DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| 2065230000 | PSD | 000 | A7 |


| DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|---|---|
| A1-SIZE | 206523 | SEE CHART | GENERAL MARKET | 2 OF 3 |

## NON-CPA VERSION SIDE VIEW





DIMENSIONS IN THIS VIEW ARE SHARED BOTH CPA AND NON-CPA VERSION


## 12 CIRCUIT RECEPTACLE NON-CPA VERSION





## 16 CIRCUIT RECEPTACLE NON-CPA VERSION





## 20 CIRCUIT RECEPTACLE NON-CPA VERSION




## 24 CIRCUIT RECEPTACLE NON-CPA VERSION





## CPA VERSION SIDE VIEW





DIMENSION IN THIS VIEW APPLY FOR CPA VERSION ONLY
REFERRING TO THE FOLLOWING P/Ns
2065231121/1122/1123/1161/1162/1163/1201/1202/1203/1241/1242/1243
2075840121/1122/1123/1161/1162/1163/1201/1202/1203/1241/1242/1243


## 12 CIRCUIT RECEPTACLE CPA VERSION





## 16 CIRCUIT RECEPTACLE CPA VERSION





## 20 CIRCUIT RECEPTACLE CPA VERSION






## 24 CIRCUIT RECEPTACLE CPA VERSION








12 CKT RECEPTACLE SHOWN BELOW
16, 20 AND 24 CKT RECEPTACLE
HAS SIMILAR CIRCUIT ID LOCATION
CIRCUIT ID







## 12 CKT HINGE CLOSED (CPA / NON-CPA)




PASS THRU DIAMETER
∅24.06
1mm ADDITIONAL CLEARANCE
ADDED TO TIGHTEST FIT CIRCLE

## 16 CKT HINGE CLOSED (CPA / NON-CPA)




PASS THRU DIAMETER
∅27.75
1mm ADDITIONAL CLEARANCE
ADDED TO TIGHTEST FIT CIRCLE

## 20 CKT HINGE CLOSED (CPA / NON-CPA)




PASS THRU DIAMETER
∅31.52
1mm ADDITIONAL CLEARANCE
ADDED TO TIGHTEST FIT CIRCLE

## 24 CKT HINGE CLOSED (CPA / NON-CPA)



PASS THRU DIAMETER
∅35.35
1mm ADDITIONAL CLEARANCE
ADDED TO TIGHTEST FIT CIRCLE

## HINGE CLOSED




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
FA = 0
FC = 0
FD = 0
DIVISIONAL SYMBOLS

| DIMENSION UNITS | SCALE |
|---|---|
| MM | NTS |

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | |
|---|---|
| ANGULAR TOL ± | 0.5° |
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± |
| 1 PLACE | ± |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: Updated CTX50 Terminal PN Status.

STATUS: Production
DRWN: Yann Chen 2023-11-16
CHK'D: Gang Li 2023-12-18
APPR: Colin Zhang 2023-12-19

THIRD ANGLE PROJECTION

molex

MINI50 GEN II RECEPTACLE SALES DRAWING

PRODUCT SALES DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| 2065230000 | PSD | 000 | A7 |

| DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|---|---|
| A1-SIZE | 206523 | SEE CHART | GENERAL MARKET | 3 OF 3 |

FORMAT TS-drawing-A1
DOC NO 2065230000
DATE 2023/09/01