






8CKTS





参考基板レイアウト ( N=極数)

PCB PATTERN LAYOUT(N:CIRCUIT)




SECTION Z-Z




嵌合図

MATED DRAWING

注記
NOTES

1．材質
ウエハー：耐熱性ナイロン UL94V-0
ピン：銅合金、ニッケル下地、錫メッキ、金メッキ
フィッティングネール：銅合金、ニッケル下地、錫メッキ
MATERIAL
WAFER: POLYAMIDE UL94V-0
PIN: COPPER ALLOY,GOLD OR TIN OVER NICKEL PLATE.
FINNTING NAIL: COPPER ALLOY, TIN OVER NICKEL PLATE.

2．色：ナチュラル、黒、赤、青
COLOR: NATURAL, BLACK, RED, BLUE

3．嵌合相手：
ハウジング:502351-**0*
錫メッキ端子:50212-8*00,50372-8*00,560085-0101
金メッキ端子:56161-8*81
MATES WITH
HOUSING:502351-**0*
SN PLATING TERMINAL: 50212-8*00,50372-8*00,560085-0101
AU PLATING TERMINAL: 56161-8*81

4．エンボス梱包品の詳細はSD-560020-002参照
DETAILED TAPING PACKAGE, SEE SD-560020-002

5．半田付け面のコプラナリティ: 0.1mm MAX.
CO-PLANARITY OF SOLDER TAILS TO BE 0.1mm MAX.

6．一般公差
GENERAL TOLERANCES
10 UNDER: ±0.2
10 OVER 30 UNDER: ±0.25
30 OVER: ±0.3
ANGULAR: ±1°

| INITIAL REVISION: | | |
|---|---|---|
| DRWN | SHSHIBATA | 2009/02/18 |
| CHECK | HKOMATSU | 2009/02/18 |
| APPR | AKANESHIGE | 2009/02/18 |

FUNCTIONAL SYMBOLS: EA= 0, EC= 0, ED= 0
DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS: mm
SCALE: 5:1
GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | ± | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± | ° |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 635305
DRWN: MUNEMOTO 2020/04/02
CHK'D: HIIJIMA 2020/04/03
APPR: TOSADA 2020/04/06

INITIAL REVISION:
DRWN: DRAWN BY 0099/99/99
APPR: APPR BY 0099/99/99

THIRD ANGLE PROJECTION | DRAWING: A3-SIZE | SERIES: 560020

molex

2.0MM PITCH W/B CONN.
WAFER ASSY ST. SMT


PRODUCT CUSTOMER DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-001 | PSD | 001 | K |

| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| | GENERAL MARKET | 1 OF 4 |

| DOCUMENT STATUS | P1 | RELEASE DATE | 2020/04/06 00:33:42 |
|---|---|---|---|

FORMAT: Mel-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14




| INITIAL REVISION: | | |
|---|---|---|
| DRWN | SHSHIBATA | 2009/02/18 |
| CHECK | HKOMATSU | 2009/02/18 |
| APPR | AKANESHIGE | 2009/02/18 |

FUNCTIONAL SYMBOLS
EA = 0
EC = 0
EP = 0
DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS: mm
SCALE: 4:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | ± | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± ° | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 635305
DRWN: MUNEMOTO 2020/04/02
CHK'D: HIIJIMA 2020/04/03
APPR: TOSADA 2020/04/06

INITIAL REVISION:
DRWN: DRAWN BY 0099/99/99
APPR: APPR BY 0099/99/99

THIRD ANGLE PROJECTION
DRAWING: A3-SIZE
SERIES: 560020

molex

2.0MM PITCH W/B CONN.
WAFER ASSY ST. SMT


PRODUCT CUSTOMER DRAWING


| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-001 | PSD | 001 | K |


| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| | GENERAL MARKET | 2 OF 4 |

| DOCUMENT STATUS | P1 | RELEASE DATE | 2020/04/06 00:33:42 |
|---|---|---|---|


FORMAT: Met-lega-master-tb-prod-A3
REVISION: E
DATE: 2020/01/14





11CKTS




14CKTS

12CKTS

13CKTS




15CKTS

INITIAL REVISION:

| | | |
|---|---|---|
| DRWN | SHSHIBATA | 2009/02/18 |
| CHECK | HKOMATSU | 2009/02/18 |
| APPR | AKANESHIGE | 2009/02/18 |

FUNCTIONAL SYMBOLS
EA = 0
EC = 0
EP = 0
DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS: mm
SCALE: 4:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | ± | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± | ° |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 635305
DRWN: MUNEMOTO 2020/04/02
CHK'D: HIIJIMA 2020/04/03
APPR: TOSADA 2020/04/06

INITIAL REVISION:
DRWN: DRAWN BY 0099/99/99
APPR: APPR BY 0099/99/99

THIRD ANGLE PROJECTION | DRAWING: A3-SIZE | SERIES: 560020

molex

2.0MM PITCH W/B CONN.
WAFER ASSY ST. SMT

PRODUCT CUSTOMER DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-001 | PSD | 001 | K |

| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| | GENERAL MARKET | 3 OF 4 |

| DOCUMENT STATUS | P1 | RELEASE DATE | 2020/04/06 00:33:42 |
|---|---|---|---|

FORMAT: Mel-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

| | | | | | | |
|---|---|---|---|---|---|---|
| Sn NATURAL | 11.8 | 29.1 | 33.7 | 36.6 | 560020-1520 | 15 |
| | 11.8 | 27.1 | 31.7 | 34.6 | 560020-1420 | 14 |
| | 11.8 | 25.1 | 29.7 | 32.6 | 560020-1320 | 13 |
| | 11.8 | 23.1 | 27.7 | 30.6 | 560020-1220 | 12 |
| | 11.8 | 21.1 | 25.7 | 28.6 | 560020-1120 | 11 |
| | 11.8 | 19.1 | 23.7 | 26.6 | 560020-1020 | 10 |
| | 11.8 | 17.1 | 21.7 | 24.6 | 560020-0920 | 9 |
| | 11.8 | 15.1 | 19.7 | 22.6 | 560020-0820 | 8 |
| | 11.8 | 13.1 | 17.7 | 20.6 | 560020-0720 | 7 |
| | 11.8 | 12 | 15.7 | 18.6 | 560020-0620 | 6 |
| | 9.8 | 10 | 13.7 | 16.6 | 560020-0520 | 5 |
| | 7.8 | 8 | 11.7 | 14.6 | 560020-0420 | 4 |
| | 5.8 | 6 | 9.7 | 12.6 | 560020-0320 | 3 |
| | 6.3 | | 8.0 | 10.9 | 560020-0220 | 2 |
| PLATING COLOR | D | C | B | A | EMBOSSED PACKAGE ORDER NO. | CKTS |

CONNECTOR SERIES NO. 560020-**08

| | | | | | | |
|---|---|---|---|---|---|---|
| Au NATURAL | 11.8 | 29.1 | 33.7 | 36.6 | 560020-1530 | 15 |
| | 11.8 | 27.1 | 31.7 | 34.6 | 560020-1430 | 14 |
| | 11.8 | 25.1 | 29.7 | 32.6 | 560020-1330 | 13 |
| | 11.8 | 23.1 | 27.7 | 30.6 | 560020-1230 | 12 |
| | 11.8 | 21.1 | 25.7 | 28.6 | 560020-1130 | 11 |
| | 11.8 | 19.1 | 23.7 | 26.6 | 560020-1030 | 10 |
| | 11.8 | 17.1 | 21.7 | 24.6 | 560020-0930 | 9 |
| | 11.8 | 15.1 | 19.7 | 22.6 | 560020-0830 | 8 |
| | 11.8 | 13.1 | 17.7 | 20.6 | 560020-0730 | 7 |
| | 11.8 | 12 | 15.7 | 18.6 | 560020-0630 | 6 |
| | 9.8 | 10 | 13.7 | 16.6 | 560020-0530 | 5 |
| | 7.8 | 8 | 11.7 | 14.6 | 560020-0430 | 4 |
| | 5.8 | 6 | 9.7 | 12.6 | 560020-0330 | 3 |
| | 6.3 | | 8.0 | 10.9 | 560020-0230 | 2 |
| PLATING COLOR | D | C | B | A | EMBOSSED PACKAGE ORDER NO. | CKTS |

CONNECTOR SERIES NO. 560020-**18

| | | | | | | |
|---|---|---|---|---|---|---|
| Sn BLACK | 11.8 | 29.1 | 33.7 | 36.6 | 560020-1521 | 15 |
| | 11.8 | 27.1 | 31.7 | 34.6 | 560020-1421 | 14 |
| | 11.8 | 25.1 | 29.7 | 32.6 | 560020-1321 | 13 |
| | 11.8 | 23.1 | 27.7 | 30.6 | 560020-1221 | 12 |
| | 11.8 | 21.1 | 25.7 | 28.6 | 560020-1121 | 11 |
| | 11.8 | 19.1 | 23.7 | 26.6 | 560020-1021 | 10 |
| | 11.8 | 17.1 | 21.7 | 24.6 | 560020-0921 | 9 |
| | 11.8 | 15.1 | 19.7 | 22.6 | 560020-0821 | 8 |
| | 11.8 | 13.1 | 17.7 | 20.6 | 560020-0721 | 7 |
| | 11.8 | 12 | 15.7 | 18.6 | 560020-0621 | 6 |
| | 9.8 | 10 | 13.7 | 16.6 | 560020-0521 | 5 |
| | 7.8 | 8 | 11.7 | 14.6 | 560020-0421 | 4 |
| | 5.8 | 6 | 9.7 | 12.6 | 560020-0321 | 3 |
| | 6.3 | | 8.0 | 10.9 | 560020-0221 | 2 |
| PLATING COLOR | D | C | B | A | EMBOSSED PACKAGE ORDER NO. | CKTS |

CONNECTOR SERIES NO. 560020-**28

| | | | | | | |
|---|---|---|---|---|---|---|
| Sn RED | | | | | | 15 |
| | | | | | | 14 |
| | | | | | | 13 |
| | | | | | | 12 |
| | | | | | | 11 |
| | | | | | | 10 |
| | | | | | | 9 |
| | 11.8 | 15.1 | 19.7 | 22.6 | 560020-0822 | 8 |
| | | | | | | 7 |
| | 11.8 | 12 | 15.7 | 18.6 | 560020-0622 | 6 |
| | | | | | | 5 |
| | 7.8 | 8 | 11.7 | 14.6 | 560020-0422 | 4 |
| | 5.8 | 6 | 9.7 | 12.6 | 560020-0322 | 3 |
| | 6.3 | | 8.0 | 10.9 | 560020-0222 | 2 |
| PLATING COLOR | D | C | B | A | EMBOSSED PACKAGE ORDER NO. | CKTS |

CONNECTOR SERIES NO. 560020-**48

| | | | | | | |
|---|---|---|---|---|---|---|
| Sn BLUE | | | | | | 15 |
| | | | | | | 14 |
| | | | | | | 13 |
| | | | | | | 12 |
| | | | | | | 11 |
| | | | | | | 10 |
| | | | | | | 9 |
| | 11.8 | 15.1 | 19.7 | 22.6 | 560020-0823 | 8 |
| | | | | | | 7 |
| | 11.8 | 12 | 15.7 | 18.6 | 560020-0623 | 6 |
| | | | | | | 5 |
| | 7.8 | 8 | 11.7 | 14.6 | 560020-0423 | 4 |
| | 5.8 | 6 | 9.7 | 12.6 | 560020-0323 | 3 |
| | 6.3 | | 8.0 | 10.9 | 560020-0223 | 2 |
| PLATING COLOR | D | C | B | A | EMBOSSED PACKAGE ORDER NO. | CKTS |

CONNECTOR SERIES NO. 560020-**68

INITIAL REVISION:
DRWN SHSHIBATA 2009/02/18
CHECK HKOMATSU 2009/02/18
APPR AKANESHIGE 2009/02/18

FUNCTIONAL SYMBOLS
EA = 0
EC = 0
EP = 0
DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS: mm
SCALE: 1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | ± | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± ° | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 635305
DRWN: MUNEMOTO 2020/04/02
CHK'D: HIIJIMA 2020/04/03
APPR: TOSADA 2020/04/06

INITIAL REVISION:
DRWN: DRAWN BY 0099/99/99
APPR: APPR BY 0099/99/99

THIRD ANGLE PROJECTION | DRAWING: A3-SIZE | SERIES: 560020

molex

2.0MM PITCH W/B CONN.
WAFER ASSY ST. SMT


PRODUCT CUSTOMER DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-001 | PSD | 001 | K |


| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| | GENERAL MARKET | 4 OF 4 |


| DOCUMENT STATUS | P1 | RELEASE DATE | 2020/04/06 00:33:42 |
|---|---|---|---|


FORMAT: Mel-lega-master-tb-prod-A3
REVISION: E
DATE: 2020/01/14




DETAIL Y








DETAIL X
(SCALE 10:1)

NOTES

1. 製品番号：
   ナチュラル・錫めっき 560020-**20
   ナチュラル・金めっき 560020-**30
   黒・錫めっき 560020-**21
   赤・錫めっき 560020-**22
   青・錫めっき 560020-**23
   詳細寸法については、製品単体図面を参照ください。
   PART NO.
   NATURAL・Sn Plating 560020-**20
   NATURAL・Au Plating 560020-**30
   BLACK・Sn Plating 560020-**21
   RED・Sn Plating 560020-**22
   BLUE・Sn Plating 560020-**23
   SEE SALES DRAWING FOR CONNECTOR
2. 梱包数量：　650個/REEL
   NUMBER OF CONNECTORS 650 PCS/REEL
3. リードテープ長さ
   LEAD TAPE LENGTH




4. 材料
   MATERIAL
   キャリアテープ：　ポリスチレン
   CARRIER TAPE: POLYSTYRENE
   トップテープ：　PET, PE, PEF
   TOP TAPE: PET, PE, PEF
   リール：　ポリスチレン
   REEL: POLYSTYRENE
5. 一般公差
   GENERAL TOLERANCES
   10 UNDER: ±0.2
   10 OVER 30 UNDER: ±0.25
   30 OVER: ±0.3
   ANGULAR: ±1°

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
EA = 0
EC = 0
EP = 0
DIVISIONAL SYMBOLS

DIMENSION UNITS: mm
SCALE: NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | ± | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± 0.5° | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

PHASE:
CO NO:
DRWN: Hideo Yoneyama 2023-10-23
CHK'D: Hiromichi Komatsu 2023-10-23
APPR: Takashi Iida 2023-10-24

INITIAL REVISION:
DRWN: YTAMAKI 2014/05/23
APPR: MAYAMAMOTO 2014/06/30

THIRD ANGLE PROJECTION | DRAWING: A3-SIZE | SERIES: 560020

molex

2.0MM PITCH W/B ST.
WAFER ASSY EMBOSSED TAPE PACKAGE

PRODUCT SALES DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-003 | PSD | 001 | F2 |

| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| SEE CHART | GENERAL MARKET | 1 OF 2 |

FORMAT: Mx4ega-TC-tb-prod-A3
REVISION: A
DATE: 2021/08/11

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sn NATURAL | 52.4 | 61.4 | 57.4 | 56 | 26.2 | 36.9 | 560020-1520 | 15 |
| | | | | | | 34.9 | 560020-1420 | 14 |
| | | | | | | 32.9 | 560020-1320 | 13 |
| | 40.4 | 49.4 | 45.4 | 44 | 20.2 | 30.9 | 560020-1220 | 12 |
| | | | | | | 28.9 | 560020-1120 | 11 |
| | | | | | | 26.9 | 560020-1020 | 10 |
| | | | | | | 24.9 | 560020-0920 | 09 |
| | | | | | | 22.9 | 560020-0820 | 08 |
| | | | | | | 20.9 | 560020-0720 | 07 |
| | 28.4 | 37.4 | 33.4 | 32 | 14.2 | 18.9 | 560020-0620 | 06 |
| | | | | | | 16.9 | 560020-0520 | 05 |
| | | 29.4 | 25.4 | 24 | 11.5 | 14.9 | 560020-0420 | 04 |
| | | | | | | 12.9 | 560020-0320 | 03 |
| | | | | | | 11.2 | 560020-0220 | 02 |
| PLATING COLOR | F | E | D | C | (B) | (A) | エンボス梱包品 製品番号 EMBOSSED PACKAGE MATERIAL NO. | CIRCUITS |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Au NATURAL | 52.4 | 61.4 | 57.4 | 56 | 26.2 | 36.9 | 560020-1530 | 15 |
| | | | | | | 34.9 | 560020-1430 | 14 |
| | | | | | | 32.9 | 560020-1330 | 13 |
| | 40.4 | 49.4 | 45.4 | 44 | 20.2 | 30.9 | 560020-1230 | 12 |
| | | | | | | 28.9 | 560020-1130 | 11 |
| | | | | | | 26.9 | 560020-1030 | 10 |
| | | | | | | 24.9 | 560020-0930 | 09 |
| | | | | | | 22.9 | 560020-0830 | 08 |
| | | | | | | 20.9 | 560020-0730 | 07 |
| | 28.4 | 37.4 | 33.4 | 32 | 14.2 | 18.9 | 560020-0630 | 06 |
| | | | | | | 16.9 | 560020-0530 | 05 |
| | | 29.4 | 25.4 | 24 | 11.5 | 14.9 | 560020-0430 | 04 |
| | | | | | | 12.9 | 560020-0330 | 03 |
| | | | | | | 11.2 | 560020-0230 | 02 |
| PLATING COLOR | F | E | D | C | (B) | (A) | エンボス梱包品 製品番号 EMBOSSED PACKAGE MATERIAL NO. | CIRCUITS |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sn BLACK | 52.4 | 61.4 | 57.4 | 56 | 26.2 | 36.9 | 560020-1521 | 15 |
| | | | | | | 34.9 | 560020-1421 | 14 |
| | | | | | | 32.9 | 560020-1321 | 13 |
| | 40.4 | 49.4 | 45.4 | 44 | 20.2 | 30.9 | 560020-1221 | 12 |
| | | | | | | 28.9 | 560020-1121 | 11 |
| | | | | | | 26.9 | 560020-1021 | 10 |
| | | | | | | 24.9 | 560020-0921 | 09 |
| | | | | | | 22.9 | 560020-0821 | 08 |
| | | | | | | 20.9 | 560020-0721 | 07 |
| | 28.4 | 37.4 | 33.4 | 32 | 14.2 | 18.9 | 560020-0621 | 06 |
| | | | | | | 16.9 | 560020-0521 | 05 |
| | | 29.4 | 25.4 | 24 | 11.5 | 14.9 | 560020-0421 | 04 |
| | | | | | | 12.9 | 560020-0321 | 03 |
| | | | | | | 11.2 | 560020-0221 | 02 |
| PLATING COLOR | F | E | D | C | (B) | (A) | エンボス梱包品 製品番号 EMBOSSED PACKAGE MATERIAL NO. | CIRCUITS |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sn RED | 52.4 | 61.4 | 57.4 | 56 | 26.2 | | | 15 |
| | | | | | | | | 14 |
| | | | | | | | | 13 |
| | 40.4 | 49.4 | 45.4 | 44 | 20.2 | | | 12 |
| | | | | | | | | 11 |
| | | | | | | | | 10 |
| | | | | | | | | 09 |
| | | | | | | 22.9 | 560020-0822 | 08 |
| | | | | | | | | 07 |
| | 28.4 | 37.4 | 33.4 | 32 | 14.2 | 18.9 | 560020-0622 | 06 |
| | | | | | | | | 05 |
| | | 29.4 | 25.4 | 24 | 11.5 | 14.9 | 560020-0422 | 04 |
| | | | | | | 12.9 | 560020-0322 | 03 |
| | | | | | | 11.2 | 560020-0222 | 02 |
| PLATING COLOR | F | E | D | C | (B) | (A) | エンボス梱包品 製品番号 EMBOSSED PACKAGE MATERIAL NO. | CIRCUITS |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sn BLUE | 52.4 | 61.4 | 57.4 | 56 | 26.2 | | | 15 |
| | | | | | | | | 14 |
| | | | | | | | | 13 |
| | 40.4 | 49.4 | 45.4 | 44 | 20.2 | | | 12 |
| | | | | | | | | 11 |
| | | | | | | | | 10 |
| | | | | | | | | 09 |
| | | | | | | 22.9 | 560020-0823 | 08 |
| | | | | | | | | 07 |
| | 28.4 | 37.4 | 33.4 | 32 | 14.2 | 18.9 | 560020-0623 | 06 |
| | | | | | | | | 05 |
| | | 29.4 | 25.4 | 24 | 11.5 | 14.9 | 560020-0423 | 04 |
| | | | | | | 12.9 | 560020-0323 | 03 |
| | | | | | | 11.2 | 560020-0223 | 02 |
| PLATING COLOR | F | E | D | C | (B) | (A) | エンボス梱包品 製品番号 EMBOSSED PACKAGE MATERIAL NO. | CIRCUITS |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS: FA = 0, FC = 0, FP = 0

DIVISIONAL SYMBOLS

DIMENSION UNITS: mm | SCALE: NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---|---|---|
| 4 PLACES | ± | ± |
| 3 PLACES | ± | ± |
| 2 PLACES | | ± |
| 1 PLACE | ± | ± |
| 0 PLACES | ± | ± |
| ANGULAR TOL | ± 0.5° | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

PHASE:
CO NO:
DRWN: Hideo Yoneyama 2023-10-23
CHK'D: Hiromichi Komatsu 2023-10-23
APPR: Takashi Iida 2023-10-24

INITIAL REVISION:
DRWN: YTAMAKI 2014/05/23
APPR: MAYAMAMOTO 2014/06/30

molex

2.0MM PITCH W/B ST.
WAFER ASSY EMBOSSED TAPE PACKAGE

PRODUCT SALES DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-560020-003 | PSD | 001 | F2 |

| THIRD ANGLE PROJECTION | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|---|---|---|
| | A3-SIZE | 560020 | SEE CHART | GENERAL MARKET | 2 OF 2 |

FORMAT: Mel-lega-TC-tb-prod-A3
REVISION: A
DATE: 2021/08/11