
产品编号 : 901190122
Product Description : C-Grid III Female Crimp Terminal, 26-28 AWG, Reel, 0.76µm Selective Gold (Au)
系列号 : 90119
状态 : Active
Product Category : Crimp Terminals
Packaging Alternative : 0901192122 (Bag)



文件和资源

图纸

图纸 901190122_sd.pdf
包装设计图 PK-90119-100-001.pdf

3D 模型和设计文件

3D模型 901190122_stp.zip

规格

应用规格 901190001-AS-000.pdf
产品规格 PS-99020-0001-001.pdf

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	e
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Crimp Terminals
系列	90119
说明	C-Grid III Female Crimp Terminal, 26-28 AWG, Reel, 0.76µm Selective Gold (Au)
应用	Signal, Wire-to-Board
个评论	Left-hand feed
产品系列	C-Grid III Interconnects
产品名称	C-Grid III
UPC	800753721531

物理

性别	女
材料 - 金属	Phosphor Bronze
材料 - 接合部位电镀	金牌
材料 - 终端电镀	Tin
净重	0.074/g
包装形式	Reel
最薄镀层 - 接合部位	0.762µm
最薄镀层 - 端接	3.048µm
终端界面类型	Crimp or Compression
导线绝缘直径	0.76-1.22mm
线径规格 (AWG)	26, 28
线缆尺寸mm²	不适用

进程

无铅	不适用

可连接使用部件

描述	产品编号
C-Grid III Modular Single Row Crimp Housings	90123
C-Grid III Dual Row Crimp Housings	90142
C-Grid III Modular Dual Row Crimp Housings	90143
C-Grid III Single Row Crimp Housings	90156
C-Grid III Dual Row Crimp Housings	90160

施工工具

全局

描述	产品编号
Hand Crimp Tool For C-Grid III Female Crimp Terminals, 26-28AWG	0638258200
T2 Terminator Die	0638514000
FineAdjust Applicator	0638614000
Extraction Tool for C-Grid III Terminals	0690080003
Insertion Tool for C-Grid III Pre-crimped Terminals	0690080140