

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	K	REVISED PER ECO-12-014566	18DEC2012	JY	AC
	L	UPDATE NICKEL PLATING THICKNESS	20JUN2017	JW	SH
	M	REVISED PER ECR-19-009785	24JUN2019	IT	SH
	M1	CHANGE SLOT TO 1.3 MAX	27AUG2019	IT	SH





1. PART COMPATABLE WITH SFP MSA. REFER TO THE SFP MSA FOR DIMENSIONS NOT SHOWN ON THIS PRINT.


△2 HOUSING: HIGH TEMPERATURE LCP, UL 94V-0 RATED, BLACK. CONTACT: PHOSPHOR BRONZE.

△3 CONTACTS: 0.00038 MIN GOLD IN CONTACT AREA, 0.00013 MIN GOLD ON SOLDER AREA, OVER 0.00127 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.


4. PACKAGED 480 PIECES PER REEL.


△5 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER, SEE DRAWING 1367034 FOR LAYOUT WHEN USED WITH 1367034-1 BOTTOM CAGE (STANDARD SFP APPLICATION).

△6 CONTACTS: 0.00076 MIN GOLD IN CONTACT AREA, 0.00013 MIN GOLD ON SOLDER AREA, OVER 0.00127 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.





SCALE 8:1





SECTION Z-Z





DETAIL H
SCALE 25:1

SEE PAGE 2	△3	1367073-6
YES	△6	1367073-4
YES	△3	1367073-3
NO	△6	1367073-2
NO	△3	1367073-1
DATE CODE	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.10
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL △2

FINISH SEE TABLE

DWN P. KERLIN 01MAR2000
CHK E. BRIGHT 01MAR2000
APVD E. BRIGHT 01MAR2000
PRODUCT SPEC 108-1949
APPLICATION SPEC 114-13017
WEIGHT -

TE Connectivity

NAME PT CONNECTOR ASSEMBLY, 20 POSITION, SFP, RTANG, 0.8MM
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1367073	-

Customer Drawing | SCALE 12:1 | SHEET 1 OF 3 | REV M1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1367073-6 AS SHOWN
PRINT PART NUMBER AND DATE CODE ON TOP
ALL OTHERS SAME AS 1367073-1



PART NUMBER AND DATE CODE
APPROXIMATE LOCATION





1367073-1 AS SHOWN
SCALE 1:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.10
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL

FINISH

DWN P. KERLIN 01MAR2000
CHK E. BRIGHT 01MAR2000
APVD E. BRIGHT 01MAR2000

PRODUCT SPEC 108-1949
APPLICATION SPEC 114-13017
WEIGHT -

TE Connectivity

NAME PT CONNECTOR ASSEMBLY, 20 POSITION, SFP, RTANG, 0.8MM
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1367073	-


Customer Drawing | SCALE 2:1 | SHEET 2 OF 3 | REV M1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 - ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





RECOMMENDED LAYOUT DETAIL
MATING TRANSCEIVER PCB
SCALE 10:1



RECOMMENDED PCB LAYOUT DETAIL
CONNECTOR MOUNTING SIDE

SCALE 14:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.10
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL
FINISH

DWN P. KERLIN 01MAR2000
CHK E. BRIGHT 01MAR2000
APVD E. BRIGHT 01MAR2000
PRODUCT SPEC 108-1949
APPLICATION SPEC 114-13017
WEIGHT -

TE Connectivity

NAME PT CONNECTOR ASSEMBLY, 20 POSITION, SFP, RTANG, 0.8MM
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1367073	-

Customer Drawing | SCALE 2:1 | SHEET 3 OF 2 | REV M1